



sgm

PACKAGING
PRODUCT
CATALOGUE



STRENGTH

QUALITY

TRUST

FLEXIBILITY

POWER

About Us

SGM PACKAGING

SGM Packaging is one of the leading stretch film manufacturer in Turkey.

The company was founded in 2015 -Karaman Turkey.

SGM Packaging has two production plant in Karaman continues to grow up rapidly with the new investment on new high-tech machineries.

SGM Packaging, which closely follows new technologies, will continue to provide our customers with convenient and technological Packaging solutions and will always maintain confidence in our products.

The main aim of the company is to provide competitive price with good quality.'

'Our strategy is to further develop and grow the business in accordance with the market requirements. '

As SGM Packaging offer a complete line of quality PE - Cast Stretch Film products. Whether you are looking for machine stretch film or hand stretch film industrial, you will be acquire products in different lengths, widths and dimensions that are sure to meet your application needs.



SGM PACKAGING MACHINE STRETCH



%150 Machine Stretch

Measurement: 50 cm Standard

Thickness: 15 – 50 microns.

Length: 1000 - 1500 meters

Stretch: %150

Durability: From 0°C to +50°C.

%250 Machine Stretch

Measurement: 50 cm Standard

Thickness: 15 – 50 microns.

Length: 1000 - 1500 meters.

Stretch: %250

Durability: From 0°C to +50°C.

%350 Machine Stretch

Measurement: 50 cm Standard

Thickness: 15 – 50 microns.

Length: 1000 - 1500 meters.

Stretch: %350

Durability: From 0°C to +50°C

Technical Properties	%150 Machine Stretch	%250 Machine Stretch	%350 Machine Stretch
Production in Different Color	+	+	+
Recycling Availability	+	+	+

SGM PACKAGING MANUAL STRETCH

Usage Area: Generally used manually.

Measurement: 40 - 45 - 50 cm Standard

Thickness: 15 - 35 microns

Length: 100 - 300 meters



Technical Properties	15μ Manual Stretch	35μ Manual Stretch
Production in Different Color	+	+
Recycling Availability	+	+


SGM PACKAGING PREMIUM STRETCH

Usage Area: Mostly used manually.

Dimensions: 40 - 45 - 50 cm Standard


Length: 100 - 600m

Stretch: %30 + %60



SGM PACKAGING

SLICED STRETCH



Sliced stretch is used on special machines and by hand. Usage areas include Auto services, Furniture industry, Profile and Frame industry, among others. Special dimensions and lengths of stretch film are produced for many sectors like these. It is produced in two forms: machine type and hand type.

Hand Type Stretch:

Measurement: 10 – 12.5 - 16.5 - 25 cm.

Thickness: 12 – 30 microns.

Length: 100 - 300 meters.



Machine Type Stretch:

Measurement: 10 – 12.5 - 16.5 - 25 cm.

Thickness: 10 – 30 microns.

Length: 700 - 1500 meters.

Technical Properties	13μ Sliced Stretch	30μ Sliced Stretch
Production in Different Color	+	+
Recycling Availability	+	+

SGM PACKAGING EXTENDED STRETCH

Usage Area: Generally used manually.

Measurement: 40 cm

Standard Micron Thickness: 17-20-23

Length: 100 - 300m



Technical Properties	10 μ Extended Stretch	12 μ Extended Stretch	14 μ Extended Stretch
Against Puncture and Tear	Perfect Strength	Perfect Strength	Perfect Strength
Labor and Time Savings	+	+	+
Production in Different Color	+	+	+
Recycling Availability	+	+	+

SGM PACKAGING JUMBO STRETCH

Measurement: 50 cm Standard

Thickness: 12 – 50 microns

Weight: 50 kg

Stretch: %150 - %350

Durability: From 0°C to +50°C



Technical Properties	12μ Jumbo Stretch	50μ Jumbo Stretch
Against Puncture and Tear	Perfect Strenght	Perfect Strenght
Labor and Time Savings	+	+
Production in Different Color	+	+
Recycling Availability	+	+



SGM PACKAGING FOOD STRETCH



Usage Area: Typically used manually.

Measurement: 30 - 40 - 45 cm.

Thickness: 8 - 10 - 12 microns.

Length: 30m - 50m - 150m - 300m.

Technical Properties	8 μ Food Stretch	10 μ Food Stretch	12 μ Food Stretch
Against Puncture and Tear	Perfect Strenght	Perfect Strenght	Perfect Strenght
For Packing	Economic	Economic	Economic
Labor and Time Savings	+	+	+
Production in Different Color	+	+	+

SGM PACKAGING DÖNER STRETCH

Thickness (μ): 8 microns - 13 microns

Width (mm): 270 mm - 440 mm

Length (m): 100 m - 300 m



Technical Properties	8 μ Döner Stretch	13 μ Döner Stretch
Production in Different Color	+	+


NOTES..



CERTIFICATES



5 CONTINENTS 132 COUNTRIES



info@sgmambalaj.com



www.sgmambalaj.com

www.kosgeb.gov.tr



export@sgmambalaj.com



+90 338 202 05 05 - 06